# Summer Math Packet Incoming 8th Grade

Nan	ne:			

Directions - Be sure to show ALL work for the problems in this packet.



# Adding & Subtracting Decimals

- 1. Write the problem vertically, lining up the decimal points.
- 2. Add additional zeroes at the end, if necessary, to make the numbers have the same number of decimal places.
- 3. Add/subtract as if the numbers are whole numbers
- 4. Bring the decimal point straight down


ex: 14.2 - 7.934

14.2<mark>00</mark> 7.934 6.266

# Multiplying Decimals

- I. Write the problem vertically with the numbers lined up to the right. The decimal points do NOT need to be lined up.
- 2. Ignore the decimals and multiply as if the numbers are whole numbers.
- 3. Count the total number of decimal places in the factors and put a decimal point in the product so that it has that same number of decimal places.

ex: 6.94 x 7.8



# Dividing Decimals

- 1. Write the dividend under the long division symbol and the divisor to the left of it.
- 2. Move the decimal point in the divisor after the number to turn it into a whole number and then move the decimal in the dividend the same number of places. Then bring it up.
- 3. Divide as if the numbers are both whole numbers.
- 4. Annex zeros in the dividend as needed until there is no remainder. If your answer is a repeating decimal, write the answer using bar notation.

ex: 
$$25.3 \div 0.3$$

#### Order of Operations

- I. Grouping Symbols (parentheses, brackets, etc.)
- 2. Exponents
- 3. Multiplication  $\mathcal{E}$  Division (left to right)
- 4. Addition  $\varepsilon$  Subtraction (left to right)

ex: 
$$5 + 4(3 - 1.2)$$

5 + 4(1.8)

5 + 7.2

12.2

Evaluate each expression.

Evaluate each expression.					
1. 5.983 + 2.99	2. 224 - 56.73	3. 6.12 - 4.923			
4. 24.5 · 3.2	5. 0.23 · 7	6. 3.86 · 9.15			
7. 14.8 ÷ 5	8. 46.3 ÷ 1.5	9. 147 ÷ 2.25			
10. 24.33 - 2.5 · 7	11. 3.9 + 4.5 <sup>2</sup>	12. 9.25(18.4 - 2 · 1.2)			

Solve each word problem, showing all work.

13.	Jeff had \$46.18 in his wallet Monday morning.
	He gave half of his money to his brother. He
	then bought two donuts for \$0.75 each and a
	cup of coffee for \$2.99. How much money did
	Jeff have left?

14. Five friends split a \$65.20 bill at a restaurant. They also each left \$2.75 for the tip. How much money did each person pay in all?

# Adding Fractions & Mixed Numbers

I. Find a common denominator for the two fractions.

ex: 
$$3\frac{3}{4} + 2\frac{1}{2}$$

2. Add the two numerators and keep the denominator the same.

 $3\frac{3}{4} = 3\frac{3}{4}$ 

3. Add the whole numbers.

 $5\frac{5}{4} = 6\frac{1}{4}$ 

4. Simplify the answer and/or change improper fraction answers to mixed numbers.

# Subtracting Fractions & Mixed Numbers

- 1. Find a common denominator for the two fractions.
- 2. Subtract the two numerators and keep the denominators the same. If the top numerator is smaller than the bottom numerator, borrow from the whole number and rename the top fraction.
- 3. Subtract the whole numbers.
- 4. Simplify the answer.

ex: 
$$5\frac{1}{4} - 1\frac{2}{3}$$

$$5\frac{1}{4} = 5\frac{3}{12} = 4\frac{15}{12}$$

$$- 1\frac{2}{3} = 1\frac{8}{12} = 1\frac{8}{12}$$

 $\frac{\frac{\delta}{12} = 1 \frac{\delta}{12}}{7}$ 

# Multiplying Fractions & Mixed Numbers

1. Turn any mixed numbers and whole numbers into improper fractions.

ex: 
$$2\frac{1}{6} \cdot \frac{4}{7}$$

- 2. Cross-simplify if possible.
- 3. Multiply the numerators and then multiply the denominators
- 4. Simplify the answer and/or change improper fraction answers to mixed numbers.

$$\frac{13}{3\cancel{6}} \cdot \frac{\cancel{4}}{7} = \frac{26}{21} = \boxed{1\frac{5}{21}}$$

# Dividing Fractions & Mixed Numbers

- 1. Turn any mixed numbers and whole numbers into improper fractions.
- ex:  $7 \div 1\frac{3}{4}$
- 2. Keep the first fraction the same, change the division to multiplication, and flip the second fraction to its reciprocal.
- $\begin{array}{c} \frac{7}{1} \div \frac{7}{4} \\ \downarrow \\ \frac{7}{2} \cdot \frac{4}{4} = \frac{4}{4} = \boxed{4} \end{array}$

4. Simplify the answer and/or change improper fraction answers to mixed numbers.

Evaluate each expression.

Evaluate each expression.	L'uliulte euch expression.					
15. $\frac{4}{5}$ + $\frac{3}{4}$	16. 4 <sup>2</sup> / <sub>7</sub> + 2 <sup>4</sup> / <sub>14</sub>	17. 8 <del>11</del> + 9 <del>5</del>				
18. $6 - \frac{3}{8}$	$19.8\frac{3}{5} - 2\frac{1}{3}$	20. $4\frac{1}{6} - \frac{8}{9}$				
41 45	2	E 1				
21. 4/25 · 15/16	22. $2\frac{3}{4} \cdot 8$	23. $6\frac{5}{8} \cdot 3\frac{1}{2}$				
$24.\frac{7}{9} \div \frac{2}{3}$	$25.\frac{4}{5} \div 10$	$26.5\frac{2}{3} \div 2\frac{5}{6}$				

Solve each word problem, showing all work.

27.	Jaimie ran $3\frac{1}{2}$ miles on Monday. She ran half
	as far on Tuesday as she did on Monday. How
	far did Jaimie run in all on Monday and
	Tuesday?

28. A  $5\frac{1}{2}$  quart pot is filled  $\frac{2}{3}$  of the way with water. How many more quarts of water can the pot hold?

#### Ratios

Ratios are comparisons of two quantities. There are 3 different ways to write ratios:

- Fraction  $\left(\frac{A}{B}\right)$ 

- Colon (A:B)

- Word Form (A to B)

Ratios can be simplified just like fractions.

ex: write the ratio of triangles to circles in 3 ways:  $\triangle$   $\triangle$   $\triangle$   $\triangle$   $\bigcirc$   $\bigcirc$ 

$$\frac{4}{2} = \boxed{\frac{2}{1}}, 2:1, 2 \text{ to } 1$$

#### Rates & Unit Rates

Rates are ratios that compare quantities measured in different units. A unit rate is a rate with a denominator of 1.

To convert a rate to a unit rate:

- 1. Divide the numerator by the denominator
- 2. Either write your answer as a fraction with a label for the both the numerator and denominator OR as one number labeled with the first unit "per" the second unit

ex: express as a unit rate: 125 miles in 4 hours

$$\frac{125 \text{ mi}}{4 \text{ hr}}$$
  $125 \div 4 = 31.25$ 

 $\frac{31.25 \text{ mi}}{1 \text{ hr}}$  or 31.25 miles per hr

# Fractions, Decimals, & Percent

To convert a:

- Decimal to Percent: move the decimal point 2 places to the right
- Percent to Decimal: move the decimal point 2 places to the left
- <u>Decimal to Fraction</u>: write the decimal over the place value of the last digit and then simplify
- Fraction to Decimal: divide the numerator by the denominator
- Percent to Fraction: write the percent over 100 and then simplify
- <u>Fraction to Percent</u>: convert the fraction to a decimal and then convert the decimal to a percent

ex: 
$$7\% = 0.07$$

ex: 
$$0.008 = \frac{8}{1000} = 1$$

ex: 
$$\frac{1}{5} = 5$$
 1.0

ex: 
$$45\% = \frac{45}{100} = \frac{9}{20}$$

ex: 
$$\frac{3}{10} = 0.3 = 30\%$$

#### Percent of a Number


- I. Turn the percent to a fraction or decimal.
- 2. Multiply the fraction/decimal by the number.

$$0.18 \cdot 40 = 7.2$$

Write each ratio in 3 ways.				
29. A bank contains 15 pennies and 12 nickels. Write the ratio of nickels to pennies.		30. A bowl contains 6 apples and some bananas. If there are a total of 10 pieces of fruit, find the ratio of apples to bananas.		
Convert each rate to a unit r	rate.			
31. \$4.25 for 64 fluid ounces	32. 297 miles on 11 g	gallons of gas	33. 124 feet in 10 seconds	
Complete the chart by conve	erting each number t	o a percent, f	Fraction, and/or decimal.	
Fraction	De	ecimal	Percent	
$\frac{3}{8}$				
35.	(	0.45		
36.			72%	
37.		0.1		
38. $\frac{3}{200}$				
Find each percent of a numb	per.			
39. 30% of 90	40. 15% of 38		41. 50% of 86	
42. 75% of 160	43. 24% of 35		44. 2% of 74	

## Comparing Integers

Integers are numbers without fractional parts. They can be positive, negative, or zero. The further right a number is on the number line, the greater it is.




The absolute value of a number is the distance the number is from zero.

ex: compare with <, >, or =

-7 
$$\boxed{ |-9|} \leftarrow \text{ The absolute value }$$
 of  $-9 = 9$ 

#### The Coordinate Plane




Ordered Pair: (x, y)

To graph a point on the coordinate plane, start at the origin. The first number in the ordered pair (the x-coordinate) tells you how far left (if negative) or right (if positive) to move. The second number (the y-coordinate) tells you how far up (if positive) or down (if negative) to move.

ex: Graph the point (-3, 2) and state the quadrant in which it is located.

Start at the origin, and move LEFT 3 and UP 2




Quadrant II

## Perimeter, Area and Volume

- Perimeter of Any Polygon: add all side lengths
- Area of a Rectangle: A = lw
- Area of Parallelogram: A = bh
- Area of Triangle:  $A = \frac{1}{2}bh$
- Area of Trapezoid:  $A = \frac{1}{2}h(b_1 + b_2)$
- Volume of Rectangular Prism: V = lwh

ex: Find the perimeter  $\mathcal{E}$  area:



Perimeter: P = 5 + 8 + 5 + 14 = 32 mm

Area: This is a trapezoid, so use the area of a trapezoid

formula: 
$$A = \frac{1}{2}h(b_1 + b_2)$$

The bases are the sides that are parallel, and the height is perpendicular to the bases.

$$\rightarrow$$
 A =  $\frac{1}{2}$  (4)(8+14) = 44 mm<sup>2</sup>


Compare the integers with <, >, or =.

454 -5	46. 2 -2	47.  -5   5	487 () 6	4913 -9
50.  -7  -6	5117 -14	52.  -3   -2	53. 0 -6	54.  -4     6

Graph and label each of the ordered pairs in the coordinate plane. Then state the quadrant or axis in/on which the point is located.

55. A(2, 4)	56. B(0, -3)			<b>A</b>	
		processes and the second secon		***************************************	and the second s
57. C(1, -1)	58. D(3, 3)	n makani ili kundi ili kun	es, or in making sour transfer and transfer of the source	oggangggagangga	nacoulo de la conservación de
		- paper, and the deliment			
59. E(-4, I)	60. F(2,0)		10000		
61. G(-3, -2)	62. H(-2, 3)	\$ 0,02040000000		ACCIDADA CARALARIA (PER CITAL SERVICIONAL CONTRACTOR CO	
		William State Control of the Control			Bacanta Carlos Action (Company)
63. I(0, 2)	64. J(-1, -4)	6 delininant point de			
		€ on sent a sentimore	and the second s		

Find the perimeter, area, and/or volume of the given figure.



## Evaluating Algebraic Expressions

- 1. Substitute the given numbers for the variables
- 2. Evaluate the expression using the order of operations

ex: evaluate x + 4y for  $x = 4 \xi y = 6$ 

$$4 + 4(6)$$
  
 $4 + 24 = 28$ 

# One-Step Addition & Subtraction Equations

- <u>Addition Equations</u>: Subtract the number being added to the variable from both sides of the equation

$$ex: \frac{4}{4} + x = \frac{18}{-4}$$
 $x = \frac{14}{4}$ 

- <u>Subtraction Equations</u>: Add the number being subtracted from the variable to both sides of the

equation

ex: 
$$20 = a - 5$$
  
 $+5$   
 $25 = a \rightarrow a = 25$ 

# One-Step Multiplication & Division Equations

- <u>Multiplication Equations</u>: Divide both sides of the equation by the number next to the variable

$$ex: \frac{7b}{7} = \frac{28}{7}$$

$$b = 4$$

- <u>Division Equations</u>: Multiply both sides of the equation by the number under the variable

ex: 
$$\frac{5 \cdot \frac{n}{5} = 10 \cdot 5}{n = 50}$$

# Problem Solving

- 1. Read the problem. Identify the question that is being asked and the key information in the problem.
- 2. Plan how you are going to solve the problem and estimate the answer.
- 3. Solve the problem using the strategy of your choice.
- 4. Check your answer. Make sure your answer is reasonable and compare it to your estimate. Label your answer with appropriate units.

Evaluate each expression for a = 5, b = 12, c = 10,  $\mathcal{E} d = 2$ .

Evolution to other content of the state of t				
71. 2b — a	72. d(ab - c)	73. $3 + \frac{b}{d}$		
		ų.		
11.0	7F 07 <sup>2</sup> 0	76. b-c+d		
74. 4a b+ 4d	75. $2a^2 - c$	/		
·				

Solve each one-step equation.

conta colen and arep aq	, 0101110171		
77. g + 3 = 17	78. r – 6 = 7	79. 6b = 18	80. $\frac{h}{q} = 3$
81. 5 = f - 8	82. 48 = 12b	83. a + 24 = 83	84. 17 + x = 23
85. IO = $\frac{m}{5}$	86. 86.5 = f - 7.63	87. <del>n</del> = 11	88. $\frac{3}{4}$ h = 12

Solve each word problem using the method of your choice. 90. A 6 inch-tall plant grew 34 of an inch one week 89. A fencing company charges \$22 per foot to install and twice as much the following week. How tall is a wood fence. How much will it cost to install a the plant now? wood fence around a rectangular pool area that is 20 feet wide and 38 feet long? 92. Brian ordered 3 large cheese pizzas and a salad. 91. Jack can read 45 pages of his book in one and a half hours. At that rate, how long will it take him to The salad cost \$4.95. If he spent a total of \$47.60 including the \$5 tip, how much did each read the entire 300-page book? pizza cost? (Assume there is no tax). 43. A cookie recipe calls for  $3\frac{1}{4}$  cups of flour. The 94. Ella has a box of chocolate candies. She gives  $\frac{1}{3}$ recipe makes 3 dozen cookies. How much four is of the candies to her sister, 4 to her brother, and needed to make 144 cookies? she eats the remaining 12 candies. How many chocolate candies were in the box originally?

Solve each word problem using the method of your choice.

Solve each word problem using the method of your choice.						
95. 20% of the 520 students in Wendover Middle School were involved in school sports. Of those students, 12.5% were on the wrestling team. How many students were on the wrestling team?	96. A piggy bank contains some dimes and nickels. There are 8 more dimes than nickels in the bank. There is a total of \$1.40. How many of each type of coin are in the bank?					
97. An elevator in a tall building goes up 7 floors, then down 9 floors, down 4 floors, up 8 floors, and down 2 floors. Now it is on floor 14. On what floor did the elevator start?	98. Jenna danced for 3 hours on Sunday, 2 hours on Monday and Tuesday, 1 hour on Thursday, 1.5 hours on Friday, and 2 hours on Saturday. She did not dance at all on Wednesday. What is the average number of hours she danced each day? Round your answer to the nearest tenth of an hour.					
99. Jackie makes \$15.25/hour babysitting. George makes \$18.50/hour mowing the lawn. If Jackie babysits for 4 hours and George mows lawns for 3 hours, who makes more money? How much more does he/she make?	100. A box of 8 crayons costs \$0.96. How much does each crayon cost? At that unit price, how much would a box of 30 crayons cost?					

# Multiplying Whole Numbers

- 1. Write the problem vertically
- 2. Multiply the ones digit of the bottom number by each of the digits in the top number, right to left
- 3. Bring down a zero and then multiply the tens digit of the bottom number by each digit in the top number, right to left
- 4. Bring down two zeros and repeat with the hundreds digit of the bottom number
- 5. Add up all of the products

# Dividing Whole Numbers

- I. Write out the long division problem with the first number (dividend) underneath the division symbol and the second number (divisor) to the left of the division symbol
- 2. Divide the divisor into the smallest part of the dividend it can go into and write the number of times it can go in on top of the division symbol
- 3. Multiply the number on top by the divisor and write the product under the number you divided into in step 2
- 4. Subtract your product from the number above it
- 5. Bring down the next digit of the dividend
- 6. Repeat steps 2-5 until there is nothing left to bring down.
- 7. If your last subtraction answer is not zero, write the remainder on top

ex: 6,425 ÷ 21

305 R 20

21)6425

-63
-12
-125
-125

Find each product. Show your work.

1. 238 x 5	2. 832 x 156	3. 4,899 x 67	4. 756 x 300
5. 19 x 863	6. 188 x 732	7. 3,249 x 173	8. 609 x 840
3. 17 × 003	0. 100 X 7 3 L	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

Find each quotient. Show your work

Find each quotient. Show your work.			
9. 876 ÷ 2	ю. 9,473÷5	11. 396 ÷ 24	12. 8,911 ÷ 45
13. 700 ÷ 12	14. 1,065 ÷ 15	15. 2,737 ÷ 305	16. 4,516 ÷ 22

Solve each problem, showing all work.

- 17. Mrs. Kleim bought 5 boxes of 15 pencils to give to her students. If she has 26 students in her class, how many pencils can she give each student? How many pencils will she have left over?
- 18. Sarah and her 3 friends split a bag of candy evenly. They each ate 13 pieces of candy and there were 2 pieces leftover. How many pieces of candy were originally in the bag?

# Rounding with Whole Numbers & Decimals

_							
ten-thousands	thousands	hundreds	tens	sauo	tenths	hundredths	thousandths

- 1. Keep all digits to the left of the place you are rounding the same
- 2. If the digit to the right of the rounding digit is less than 5, keep the rounding digit the same. If it's 5 or greater, increase the rounding digit by 1.
- 3. Change all places to the right of the digit you are rounding to 0. (Trailing zeros after the decimal are unnecessary)

ex: round 52.943 to the nearest tenth

52.943

less than 5, so the 9 stays the same

52.900

don't need trailing zeros after the decimal

52.9

## Word Form & Expanded Form

- 1. <u>Word Form</u>: write the whole number in word form, translate the decimal to "and",  $\mathcal{E}$  write the decimal as if it were a whole number, followed by the name of the place of the last digit
- 2. Expanded Form: write the value of each nonzero digit separately, with addition signs between them

ex: 209.315

two hundred nine and three hundred fifteen thousandths

200 + 9 + 0.3 + 0.01 + 0.005

# Comparing & Ordering Decimals

- 1. Compare the whole number portions of the numbers. If they are different write > for greater than or < for less than.
- 2. If the whole numbers are the same, compare each digit to the right of the decimal point, one at a time until you find digits that are different. (If necessary, add zeros at the end of a decimal.)

ex: 13.702 13.74

13 = 13

13.7 = 13.7

13.70 < 13.74

So, 13.702 < 13.74

Round the number 21,498.2536 to the nearest indicated place.

19. tenth	20. hundred	21. thousandth	22. one
23. thousand	24. hundredth	25. ten	26. ten-thousand

Complete the chart below.

Standard Form	Expanded Form	Word Form
	27.	28.
3.962		
29.		30.
	100 + 2 + 0.09	
31.	32.	
		Five thousand six hundred eighty-five and twelve hundredths
	33.	34.
8,770.006		
35.		36.
	900 + 10 + 4 + 0.3 + 0.02 + 0.008	
37.	38.	
		Two thousand nine and thirty-five thousandths

Compare each pair of numbers by writing <, >, or = in the provided circle.

39. 0.046 0.13	40. 9.52 90.13	41. 24.13 24.130	42. 15.96 15.906
43.	6.83 6.825	45. 7.256 7.24	46. 32.9 3.290

Order the numbers from least to greatest.

47. 6.86, 6.8, 7, 6.9, 6.827	48. 12.03, 1.2, 12.3, 1.203, 12.301